



IWA14 IMPACT TESTED
N2A 7200kg 80kph

- MIN. 3 BOLLARDS IN ARRAY
- CAN BE LINKED TO OTHER FP PRODUCTS
- CAN BE INSTALLED ON UNEVEN GROUND - MAX. SLOPE 4.8% (2.76°)
- STACKABLE ON THE PALLET - EASY TO TRANSPORT
- STAINLESS STEEL SLEEVE OPTIONAL

↑
IMPACT DIRECTION
TRUCK
MASS: 7200kg
VELOCITY: 50mph (80km/h)
IMPACT ENERGY: MIN. 1800kJ

DIMENSIONS IN MILLIMETERS	
SCALE	TOLERANCES
NTS	ISO 2768-m,k
THIRD ANGLE PROJECTION	
<small>THE INFORMATION CONTAINED IN THIS DRAWING IS CONFIDENTIAL AND MAY NOT BE PASSED IN WHOLE OR IN PART TO THIRD PARTIES WITHOUT THE PERMISSION OF FRONTIER PITTS LTD.</small>	



FRONTIER-PITTS LTD
CROMPTON HOUSE, CROMPTON WAY,
CRAWLEY, WEST SUSSEX. RH10 9QZ
ENGLAND
Telephone :- 44 (0) 1293 548301
Fax :- 44 (0) 1293 560650
e-mail: contracts@frontierpitts.com
web site: www.frontierpitts.com

CONTRACTOR	FP LTD.
SITE	STATIC BOLLARDS SHALLOW TERRA JUPITER
	SALES DRAWING

ALL ANGLES ARE PERPENDICULAR UOS
CONSULT DESIGN OFFICE IF ROADWAY IS NOT LEVEL TO ±10mm

DRAWING NUMBER	ISSUE
6857-50S	1

IF IN DOUBT ASK						
ISS	DRWN	CHANGE	CHKD	APPD	DATE	CN#
1	ML	ORIGINAL	SG	GL	03/04/19	