# IWA 14 HVM Terra Ultimate 180° Hinged Gate - 7.2t At 50 mph

Generated on 28.03.2020

# **Detailed description**

The Terra Ultimate 180° Hinged Gate is a hinged/ swing gate impact tested to the International IWA 14 Specification, stopping a 7.2 tonne vehicle travelling at 50 mph.

Based on the Terra Ultimate 180 Swing Barrier impact test IWA 14 Classification Code: V/7200[N2A]/80/90:4.7.

Comprising a gate leaf, heavy duty crash impact beam and posts.

A choice of automation with Frontier Pitts designed and manufactured actuators depending on the size of the gate: Gate back Actuators (hydraulic), Dutyman Actuators (electro-mechanical) and underground Trojan Actuators (hydraulic). Heavy duty rams with PLC controlled slowdown to ensure guick and safe operation.

All made to order. A PSSA Verified Product, Secured by Design and are listed on the CPNI List of IWA 14 and PAS 68 products.

## Applications:

Suitable for high security sites such as banks, embassies, bullion depots, cargo parks, ports and lorry parks. The (Hostile Vehicle Mitigation (HVM) Gate has been proven to stop vehicles, providing HVM, counter terrorist, impact-resistant barriers preventing vehicle as a weapon attack.

# **Product guidance - As Standard**

#### Finish:

Shotblasted, hot zinc sprayed, primed and finished with a final coat of polyurethane paint to a RAL number. This process provides a 20-year corrosion protection system for exterior, industrially polluted inland sites to BS 5493.

#### Operational speed:

Dependent on model and length, contact manufacturer for details.

# **Options**

Size (h x I, maximum):

3000 x 6000 mm.

## **Product specification**

## Manufacturer

- Name: Frontier Pitts Ltd

- Web: www.frontierpitts.com

Frontier Pitts Ltd



Frontier Pitts Ltd
Crompton House
Crompton Way
Manor Royal Industrial Estate
Crawley
West Sussex
RH10 9QZ

Tel: +44 (0)1293 548301

www.frontierpitts.com sales@frontierpitts.com



- Email: sales@frontierpitts.com

- Tel: +44 (0)1293 548301

- Fax: +44 (0)1293 560650

- Address: Crompton House, Crompton Way, Manor Royal

Industrial Estate, Crawley, West Sussex RH10 9QZ

**Product reference** IWA 14 Terra Ultimate 180° Hinged Gate

Size (h x I)

Colour

Actuation/ Safety Not applicable - For manual operation.

Audible alarms

Dutyman actuators (electro-mechanical) approved by LPCB to LPS1175 Security

Rating 2

Flashing beacons

Induction loop/ Vehicle detector loop system

asers

Pedestrian guard rail, 2000 mm high - To prevent the gate closing on a person or

vehicle.

Power locking bolt Safety edge Safety photocell Signage

Traffic light system Ultrasonic sensors

Underground trojan actuators (hydraulic) approved by LPCB to LPS1175 Security

Rating 2

Access control ANPR - Automatic number plate recognition

Audio intercom Card reader Digital keypad GSM intercom

HMI - Human machine interface

Push buttons

VHF Radio control system

Gate infill Bar and Weldmesh infill approved by LPCB

to LPS1175 Security Rating 2

Sheet

**Top protection:** 55 mm serrated edge

Anti-climb rotating strip
Anti-climb serrated edges

Barbed tape Barbed wire

Accessories [None]

[100 mm diameter red/ green LED traffic

light head]

[Biodegradable oil]





[Control pedestal - dual height]
[Control pedestal - HGV height]
[Control pedestal - standard height]
[High security cabinet]
[Hydraulic oil]
[Locking bolt]
[Manual release valve] - For Hinged Gate only.
[Signage]